

## SECTION 10190 - TOILET PARTITIONS AND ACCESSORIES

### PART I - GENERAL

#### 1.01 DESCRIPTION

- A. The extent of toilet partitions and accessories is shown on drawings.
- B. Provide floor mounted, headrail braced toilet partitions and wall hung screens.
- C. Types of toilet accessories include:
  - Paper towel dispensers.
  - Waste receptacles.
  - Feminine napkin disposal.
  - Toilet tissue dispenser (furnished and installed by Walgreens).
  - Grab bars.
  - Mirrors.
  - Diaper Changing Station.

#### 1.02 QUALITY ASSURANCE

- A. Coordination: Furnish inserts and blocking to support toilet partitions and accessories.
- B. All toilet accessories shall be from the same manufacturer except Walgreens furnished.
- C. Hardware and door openings shall be fabricated to comply with requirements of the Americans with Disabilities Act, and ANSI A117-1. (Latest Edition)

### PART II - PRODUCTS

#### 2.01 TOILET PARTITIONS AND SCREENS

- A. Toilet Partition: headrail braced with baked enamel finish.
- B. Acceptable Manufacturers:
  - Accurate Partitions Corp., Floor Anchored/Overhead Braced series, powder coated steel color #917 Adobe.
  - American Sanitary Partition Corp., headrail braced "Full Flush Type", baked enamel color: #34 San Tan.
  - AMPCO Products, Inc., overhead braced toilet compartment, baked enamel color #058-58-Beige#PLSF40749 B8153 "Walgreens".
  - Flush-Metal Partition Corp., headrail braced "Flushite" series, color #35 Beige.
  - General Partitions Mfg Corp., headrail braced "Series 40", color #SN-336 Sand.
  - Global Steel products Corp., "Floor Anchored/Overhead Braced series, color #2115 Khaki
  - Hadrian Manufacturing, Inc., headrail braced, floor mounted system, color #585 Sahara.
  - Knickerbocker Partition Corp., headrail braced "Metropolitan" series, color; Sand, #5123.
- C. Urinal Screens: By same manufacturer and in same color as toilet partitions. Size; 18" x 42".

D. Hardware: Manufacturers standard heavy duty, chrome plated; self-closing hinges, lever handle latch with emergency access, door pull, doorkeeper with bumpers, coat hook with bumper and stainless steel pilaster shoes.

E. Headrail: Manufacturers standard anti-grip style

## 2.02 TOILET PARTITION/SCREEN MATERIALS

A. Sheets for baked enamel finish; ASTM A 591, Class C, galvanized-bonderized.

Pilasters: 20 gauge.  
Panels and screens: 20 gauge.  
Doors: 22 gauge.

B. Partition Core Materials: 1" finished thickness with sound-deadening honeycomb core. Pilasters shall be 1-1/4" thick.

C. Pressure laminate seamless face sheets to core material and steel edges with continuous interlocking strip. Weld edges and corners and grind smooth.

## 2.03 TOILET ACCESSORIES

A. Manufacturer: Bobrick unless noted otherwise.

Recessed roll paper towel dispenser and waste receptacle: Bradley#2277.

Feminine napkin disposal: #B-270.

Toilet tissue dispenser: North American Paper #WA56T, double jumbo (by Walgreens).

Grab Bars: (1) B-6806 x 36 and (1) B-6806 x 42 and (1) B-6806 x 18  
(located in each handicap accessible stall)

Surface mounted soap dispenser: Bradley #655

Surface mounted soap dish: Bradley #901.

Mirror: B-165-1836.

Employee Room surface mounted roll paper towel dispenser: ~~B-2860~~(by Walgreens).

Surface mounted toilet seat cover / dispenser: #25132000 (by Walgreens).

Surface mounted soap dispenser: Bradley #655

Surface mounted soap dish: Bradley #901

B. Acceptable Alternate Manufacturers: Bradley Corporation

## 2.04 TOILET ACCESSORY MATERIALS

A. Stainless Steel: AISI Type 302/304, with polished no. 4 finish, 22-gauge minimum.

B. Mirror Glass: FS DD-G-451, Type I, Class 1, Quality q2, 1/4" thick with silver coating, copper protective coating and non-metallic paint coating.

## 2.05 ~~DIAPER CHANGING~~DIAPER CHANGING STATION:

A. Provide Koala Kare Products . (or equal) wall ~~mounted~~ horizontal ~~horizontal~~ design, molded FDA approved HDPE, 300 lb. capacity, molded Braille instructions;

1. Hinges: reinforced, full length steel on steel.

2. Mounting Supports: multiple 11 Ga. steel.

3. Operation: pneumatic gas spring mechanism.
4. Color: Cream.
5. Provide and locate identifying signage as required by local ordinances
6. Provide "Microban Technology" anti-microbial product protection.

#### PART III - EXECUTION

##### 3.01 INSTALLATION

- A. Install toilet partitions and accessories plumb, level and securely anchored. Mount accessories using concealed vandal proof fasteners, at heights as shown on drawings.

##### 3.02 ADJUST AND CLEAN

- A. Adjust hardware and accessories for proper operation.
- B. Toilet partition doors to swing open approx. 30 degrees when unlatched.
- C. Clean toilet partition surfaces and accessories. Replace all defective or damaged items.

END OF SECTION

